

I'm not a bot













## Does kaiser do walk in std tests

We're sorry ! This page is currently unavailable. Its address may have changed or it may have been removed permanently. You can try the following:If you typed the address, check the spelling and try again. Go to our home page to look for the information you want. Use our search page to find the information elsewhere on our website. Click the "Back" button in your browser to return to the previous page. Top of the pageCheck Your Symptoms Related Information Abnormal Vaginal Bleeding Top of the pageLearning Center Loading, just a moment... Reddit and its partners use cookies and similar technologies to provide you with a better experience. By accepting all cookies, you agree to our use of cookies to deliver and maintain our services and site, improve the quality of Reddit, personalize Reddit content and advertising, and measure the effectiveness of advertising. By rejecting non-essential cookies, Reddit may still use certain cookies to ensure the proper functionality of our platform. For more information, please see our Cookie Notice and our Privacy Policy. Loading, just a moment... We're sorry ! This page is currently unavailable. Its address may have changed or it may have been removed permanently. You can try the following:If you typed the address, check the spelling and try again. Go to our home page to look for the information you want. Use our search page to find the information elsewhere on our website. Click the "Back" button in your browser to return to the previous page. The U.S. Preventive Services Task Force (USPSTF) recommends chlamydia testing for all sexually active women ages 24 and younger. The USPSTF also recommends testing for women older than 24 with high-risk sexual behaviors. The task force does not state how often to be screened. The Centers for Disease Control and Prevention (CDC) recommends screening every year for sexually active adolescents and women ages 24 and younger. Women older than 24 who have high-risk sexual behaviors also should be screened every year. Gay, bisexual, and other men who have sex with men are also at risk since chlamydia can spread through oral and anal sex. These men should be screened every year as well. The CDC recommends testing during pregnancy for those who are ages 24 and younger or who engage in high-risk sexual behaviors. This helps prevent them from spreading chlamydia to their babies. The CDC also recommends that you have the test again 3 to 12 months after you finish treatment. People who have been diagnosed and treated for chlamydia may get it again if they have sex with the same untreated partner or partners. The U.S. Centers for Disease Control and Prevention (CDC) and the U.S. Preventive Services Task Force (USPSTF) strongly recommend screening for syphilis during pregnancy because of the severe consequences of being pregnant while infected or having a child born with congenital syphilis. Screening should be done: At the first prenatal visit. During the third trimester and again at delivery for people who have an increased risk of acquiring syphilis. The USPSTF also strongly recommends that anyone with high-risk sexual behaviors be screened. Yearly testing for syphilis is recommended for men who are sexually active with other men. If these men also engage in risky sexual behavior, have HIV, or have a sex partner with syphilis, testing should take place more often. The USPSTF recommends testing for all sexually active women ages 24 and younger. The USPSTF also recommends testing for women older than 24 who engage in high-risk sexual behaviors. If you engage in high-risk sexual behaviors, you may want to consider being tested once a year for gonorrhea even though you don't have symptoms. Testing will allow gonorrhea to be quickly diagnosed and treated. This helps to reduce the risk of transmitting gonorrhea and avoid complications of the infection. The Centers for Disease Control and Prevention (CDC) recommends screening every year for sexually active adolescents and women ages 24 and younger. Women older than 24 who have high-risk sexual behaviors also should be screened every year. Gay, bisexual, and other men who have sex with men are also at risk since gonorrhea can spread through oral and anal sex. These men should be screened every year as well. The CDC recommends testing during pregnancy for those who are ages 24 or younger or who engage in high-risk sexual behaviors. This helps prevent them from transmitting gonorrhea to their babies. The CDC also recommends that you have the test again 3 to 12 months after you finish treatment. People who have been diagnosed and treated for gonorrhea may get it again if they have sex with the same untreated partner or partners. Reddit and its partners use cookies and similar technologies to provide you with a better experience. By accepting all cookies, you agree to our use of cookies to deliver and maintain our services and site, improve the quality of Reddit, personalize Reddit content and advertising, and measure the effectiveness of advertising. By rejecting non-essential cookies, Reddit may still use certain cookies to ensure the proper functionality of our platform. For more information, please see our Cookie Notice and our Privacy Policy. We, and our third-party partners, use cookies, pixels, and other tracking technologies to collect, store, monitor, and process certain information about you when you access and use our services, read our emails, or otherwise engage with us. The information collected might relate to you, your preferences, or your device. We use that information to make the site work, analyze performance and traffic on our website, to provide a more personalized web experience, and assist in our marketing efforts. We also share information with our social media, advertising, and analytics partners. You can change your default settings according to your preference. You cannot opt-out of required cookies when utilizing our site; this includes necessary cookies that help our site to function (such as remembering your cookie preference settings). For more information, please see our Privacy Notice. Reject All Save settings Allow all